



# GOPALPUR COLLEGE, GOPALPUR-ON-SEA,

Dist: Ganjam, Odisha 761002

NAAC Accredited with 'B' Grade

TEL: 0680-2343578

Quotation Call Notice No:465/GC/25

Date:03.06.2025

## QUOTATION CALL NOTICE

The Principal, Gopalpur College invites sealed quotations **from the reputed authorized firms/dealers/suppliers for the work mentioned below.**

1	Name of Work	Supply and installation of Desktop, UPS, MFM Printer, LED TV, Wireless Mic. & Camera for Virtual Meeting and Internet facility for the upgrading of IT infrastructure.
2	Minimum eligibility criteria	Firms/Manufacturer/Authorized Dealer/Suppliers having experience in similar type of works are eligible. (Proof must be submitted)
3	Brand	Reputed
4	Estimated Cost	Rs.8,00,000/-
5	EMD (Interest free)	Nil
6	Tender Document Fees (Non-refundable)	Nil
7	Bid documents to be downloaded from the college website:	<a href="http://www.gopalpurcollege.ac.in">www.gopalpurcollege.ac.in</a> From date: 03.06.2025
8	Last date/time of receiving bid	Date:17.06.2025 Time: 2.00p.m
9	Date & Time of opening of quotations	Date: 18.06.2025 Time: 3.00p.m
10	Mode of sending the quotation documents	By Speed/Regd. Post/Courier Services to the office of The Principal, Gopalpur College, Gopalpur-On-Sea, Ganjam. No hand receipts will be entertained
11	Validity Period	1 month
12	Work Completion	Work must be completed within 07 days from the date of order.

Conditional quotation / deviations without any legitimate reason are not acceptable. Principal, Gopalpur College reserves the right to reject any or all the quotation without assigning any reason thereof.

Signature of tenderer with Company Seal


  
Principal  
Gopalpur College,  
Gopalpur-On-Sea, Ganjam  
**Principal**  
Gopalpur College  
Gopalpur-on-Sea (Gm.)

## Terms & Conditions

1. The quotation should be submitted with all necessary documents in sealed envelope and super scribed as QUOTATION FOR Procurement of Items for the upgrading of IT infrastructure & tender ref.no & date.
2. The cover should be addressed to Principal, Gopalpur College, Gopalpur-on-sea, Ganjam-761002, Odisha.
3. The tender Document must be enclosed with Certificates of Manufacturers or their authorized dealers, Proof of specification of the tendered items with brochures & catalogues, copy of PAN, GST Regd. Certificate, & credentials.
4. The tenderer should submit a declaration about warranty periods of the items from the manufacturer.
5. Tender will not be accepted after the specified date & time.
6. In case of any ambiguity and false information found, the tender is liable to be rejected.
7. The tenderer are required to quote their rate both in words & in figures. However, in case of a mismatch the rate in words will be considered as final. On any over writing or any correction in the tendered rate will not be considered.
8. **Payment will be released after satisfactory operation of the system & duly approved by the user department / tender committee within 30 days from the work order.**
9. The price of items in full and complete set including all parts inclusive of supply, installation, commissioning, testing, packing & forwarding, transportation, FOR & all taxes and duties as applicable has to be mentioned.
10. The Tenderer should visit the site before preparing the tender document for any queries relating to the tender & site inspection.

**NB: No submission of quotation in the above mentioned manner and non-submission of enclosures as specified above or submission of more than one quotation by a single tenderer will be liable for rejection. The Principal reserves the right of acceptance of the quotation, or rejecting without assigning the reason thereof.**

Signature of tenderer with Company Seal

  
Principal  
Gopalpur College,  
Gopalpur-On-Sea, Ganjam  
Principal  
Gopalpur College  
Gopalpur-on-Sea (Gm.)

## ANNEXURE - B

### Quantities and Specifications of IT items to be purchased

Sl.No	Non-Govt. Aided Colleges	Nos of College	Amount to be released (in lakhs)	Detail calculation	Total Amount (in lakhs)
1	No of No Govt. Aided Colleges having student's strength more than 750	199	8	1. 13 and above Desktop @50000*12=6 Lakh 2. UPS@3000*12=36000 lakh 3. MFM Printer@30000 *2=60000 4. 1 LED Tv (65 inch) @0.70= 70000 5. Wireless mice & Camera for Virtual meeting = 25000 6. Internet Facility:-20,000/- <b>Total=8.11 Lakh</b>	1592

## Desktop Specification

Items	Specification
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel® H770 or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	13 Or higher
Processor Description	Intel Core i3 or higher
Processor Number	Intel Core i3 13100 or higher
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher
Operating System	Windows 11 Home Factory Preloaded
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIMM Slots)
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher
Integrated Graphics	Intel UHD Graphics 770 or higher
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes
Type of Drives used to populate the Internal Bays	NVMe SSD
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	512GB NVMe SSD
Optical Drive	Optional
Drive Bays	Two 3.5" (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD
LAN	LAN: Integrated 10/100/1000M
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0
Firmware Trusted Platform Module	TPM 2.0
Hardware Security lock slot	Security lock slot
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency
Certification	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.
	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate
	Microsoft Windows, Energy star 8.0 certified Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.
Keyboard Mouse	USB Keyboard; USB Optical Mouse
Monitor	19.5" LED Display with CTO Certified and same must be belongs to the same OEM
Years of Warranty	3 Year Onsite Warranty

600 VA Line Interactive UPS Specifications		
Sl. No.	Feature	General Specifications
1	UPS Capacity (total)	600VA/360W
2	Input Voltage	230 VAC nominal
3	Input Frequency	45 - 65 Hz
4	Brownout Transfer	145 VAC typical
5	Over-voltage Transfer	290 VAC typical
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)
7	Frequency - On Battery	50Hz typical
8	Transfer Time	@50 Hz 6 ms typical, 10 ms max
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also
13	AC Surge Protection	Full time, 160 joules
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference
15	Type (maintenance-free)	12V, 7.2 Ah
16	Typical recharge time	4-6 hours
17	Operating Temperature	0°C to 40°C
18	Storage Temperature	-15°C to 45°C
19	3 power outlets	With battery backup and surge protection
20	Power Cord	1.2 meters
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)
22	Runtime for Workstation PC (100W ± 15W)	13 min (normal mode)
23	Battery Saver (to save on battery life)	Thru toggle button on front panel
24	Certification	BIS
25	Designed and Manufactured in India	Yes
26	Warranty	2years

<b>Generic</b>	
<b>Description of Stores</b>	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
<b>Core Function</b>	Print, Scan and Copy
<b>Print Technology</b>	Laser
<b>Cartridge Technology</b>	Composite Cartridge
<b>Type of Printing</b>	Monochrome (Black)
<b>RAM Size (MB)</b>	256
<b>Storage Capacity (in GB)</b>	0
<b>Features</b>	Fax
<b>Operating System Compatibility</b>	Windows 10 and Above, Linux, Mac OS, Windows Server
<b>Printing</b>	
<b>Print Paper Size</b>	A4 and Legal
<b>Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)</b>	26 to 30
<b>Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)</b>	Not Applicable
<b>Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)</b>	Not Applicable
<b>Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)</b>	Not Applicable
<b>Auto Duplexing Printing/Coping (2-sided Feature)</b>	Yes
<b>Scanning</b>	
<b>Maximum Scan Area (Platen/Flatbed Size)</b>	A4 and Legal
<b>A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi</b>	11 to 20
<b>Scan To Functions</b>	Email
<b>A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi</b>	11 to 20
<b>COPYING</b>	
<b>Reduction and Enlargement Feature</b>	Yes

<b>PAPER HANDLING</b>	
<b>Original Document Feeder Type (For Scanning and Copying)</b>	Automatic Document Feeders (ADF)
<b>Feeder Capacity (Number of Sheets) (For Scanning and Copying)</b>	31 to 40
<b>Number of Main Paper Tray</b>	1
<b>Total Paper Tray Combined Capacity (Number) at 75 GSM</b>	101 to 200
<b>Bypass Tray Facility</b>	No
<b>If Yes, Bypass Tray Capacity</b>	0
<b>Connectivity</b>	
<b>Connectivity</b>	USB Port, Ethernet Port, Wi-Fi
<b>Accessories Provided</b>	USB Cable
<b>Performance</b>	
<b>Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)</b>	700
<b>Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)</b>	0
<b>Minimum Duty Cycle (Number of Prints/Month)</b>	10,001 to 20,000
<b>POWER</b>	
<b>Power Supply</b>	Single Phase AC 220 - 240 V, 50 - 60 Hz
<b>Maximum Power Consumption (in Watt)</b>	1300
<b>Environmental</b>	
<b>Minimum Operating Temperature (Degree C)</b>	10
<b>Maximum Operating Temperature (Degree C)</b>	30

<b>Minimum Operating Humidity (%RH)</b>	20
<b>Maximum Operating Humidity (%RH)</b>	80
<b>Dimension</b>	
<b>Standard Machine Weight with Single Tray (in Kg)</b>	11
<b>Certification</b>	
<b>BIS CRS Compliance</b>	Yes as per IS 13252 (Part 1)
<b>Maximum Number of Prints covered under Product warranty (Whichever is earlier)</b>	30000
<b>EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date</b>	Yes
<b>Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand</b>	Yes



General Features	Screen Size	65
	Brightness (cd/m <sup>2</sup> )	350Nits or better
	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
	Response Time (ms)	8.0
	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG)
	Aspect Ratio	16:9
	Portrait/Tilt Compatibility	Yes
Display features	Dimming type	Frame Dimming
	Display Device	LCD
	Panel Type	IPS
	Backlight type	Direct LED
	Color gamut (NTSC)	69%
	Operation time	16/7
	Haze (%)	1 %
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	178 (89/89) degree
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p, 480i
Audio Specs	Speaker Position	Down Firing
	Audio Power Output	10W + 10W
Professional features	Pro settings	Yes (Simple Pro settings menu)
	HDMI auto wake-up	Yes
	Operating System	Android TV
	On-board Storage (GB)	16GB
	RAM	3GB
Network Specs	Wi-Fi Certified	Yes
	Wireless LAN	Integrated
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAC
	On Screen Clock	Yes
	Sleep Timer	Yes
	On/Off Timer	Yes
	Chromecast built-in	Yes
	Apple AirPlay	Yes
Control Specs	IP Control	Yes
	RS-232C Control	Yes
	HDMI-CEC	Yes
	HDCP	HDCP2.3 (for HDMI1/2/3)
	Composite Video Input (s)	1 (Side, Mini jack)

Inputs and outputs	HDMI inputs total	3 (3Side)
	Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
	Digital Audio Output (s)	1 (Side)
	USB ports	2 (Side)
	Ethernet inputs	1 (Side)
Design features	VESA® Hole Pitch (W x H)	300 x 300 mm
Environment Specs	Rated Power Consumption	226W
	Power Consumption (in Standby)	0.5 W
	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	Yes
Measurements	Dimension of TV without Stand (W x H x D)	1462 x 842 x 71 mm
	Dimension of TV with Stand (W x H x D)	1462 x 912 x 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
Weight	Weight of TV without Stand	20.4 kg
	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

Shop By Category

Industrybuying

Search Products by file sku category brand etc



Login



Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share

Bulk Discount

Ships within 5 days

### Logitech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 960-001548

Visit the Logitech Store

POWER BRAND

EMI starts at ₹2202/month No Cost EMI available EMI options



#### AVAILABLE OFFERS

View Offers

- Get up to ₹4,000\* on a min. order value of ₹8,499 First-time OBT users only T&C apply [View](#)
- Get up to ₹3,500\* on a min. order value of ₹8,499 First-time B2B users only T&C apply [View](#)

#### FEATURES

More Details

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation

[More Logitech WEBCAM products](#)  
[More WEBCAM products](#)



Warranty as per brand



100% Original Products



Secure payments



100% Buyer protection



Top Brands

#### SPECIFICATIONS

#### DESCRIPTION

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation
Microphone Type	Dual Beamforming
Width	98 mm
Zoom	4x Digital Zoom
Type of Product	Web Camera
Part No	MX280C4KORPT
Height	44 mm
Weight	137 g
Lens Type	Glass
Interface	USB 3.0
Color	Graphite
Resolution	4K/30 fps, 1080p/60 fps
Image Sensor	8.5 MP Sony STARVIS
Model No	960-001548

₹24,779 (incl. of all taxes)

**₹20,999** - 18% off

USD: \$24,999 0.86% OFF

Minimum Order Quantity: 1

#### Bulk quantity Discounts!!

Select	Quantity	Discounted price per piece (incl. of all taxes)
<input type="radio"/>	2-3	₹23,980.14
<input type="radio"/>	4-5	₹23,740.53
<input type="radio"/>	6-7	₹23,500.93
<input type="radio"/>	8-more	₹23,341.19

ADD TO CART

BUY NOW

- Request a Callback
- Get Customized Price
- Connect with a Product Expert

#### Check Delivery Details

Enter Pincode

Check

PREPAID

Available

PART COD

Unavailable

COD

Available

RETURN

Available Return period: 7 days



Call Now

NEED HELP WITH YOUR PURCHASE?

CALL US AT 8449449073

OR VISIT US AT

INDUSTRYBUYING.COM